

## TruPrint 1000

Technical data



## **TruPrint 1000**

BUILD VOLUME (CYLINDER)	Diameter 100 mm x 100 mm 100 mm Height <sup>1</sup>		
EFFECTIVE BUILD VOLUME (STANDARD)	Diameter 98 mm x 100 mm Height		
EFFECTIVE BUILD VOLUME (OPTION: PREPARATION FOR INTERCHANGEABLE CYLINDER)	Diameter 98 mm x 80 mm Height Diameter 61.5 mm x 80 mm Height Diameter 32.5 mm x 80 mm Height		
PROCESSABLE MATERIALS	Metal powders for welding, such as stainless steels, tool steels, and aluminum [1], nickel basis, cobalt-chrome, copper, titanium [1] or precious metal alloys, amorphous metals. Current availability of materials and their parameters available on request. [1] Only with option glove box + oxygen sensor, high resolution.		
MAXIMUM LASER POWER AT THE WORKPIECE (TRUMPF FIBER LASER)	200 W		
BEAM DIAMETER (STANDARD)	55 μm		
BEAM DIAMETER (OPTION)	30 μm		
LAYER THICKNESS	10 - 50 μm		
BUILD RATE	2 - 18 cm³/h <sup>2</sup>		
CONNECTION AND CONSUMPTION			
ELECTRICAL CONNECTION (VOLTAGE)	230 V		
ELECTRICAL CONNECTION (CURRENT INTENSITY)	7 A		
ELECTRICAL CONNECTION (CURRENT INTENSITY - MULTILASER OPTION)	9 A		
ELECTRICAL CONNECTION (FREQUENCY)	50/60 Hz		
CHIELDING GAG	Att		
SHIELDING GAS	Nitrogen, argon		
STRUCTURAL DESIGN	Nitrogen, argon		
	1445 mm x 1680 mm x 730 mm		
STRUCTURAL DESIGN			
STRUCTURAL DESIGN  DIMENSIONS (W X H X D)	1445 mm x 1680 mm x 730 mm		
STRUCTURAL DESIGN  DIMENSIONS (W X H X D)  WEIGHT (INCLUDING POWDER)	1445 mm x 1680 mm x 730 mm		

Subject to changes. The details in our offer and order confirmation are definitive.

12/06/2021 Page

## Footnotes

1 —	Optional:	smaller	build	volume

<sup>2 —</sup> The actual build rate consisting of exposure and coating. Dependent on the configuration of the system, the process parameters, material and fill level.