



TruMatic 6000

Technical data

**TruMatic 6000 large
format****TruMatic 6000
medium format****DIMENSIONS**

WIDTH	8335 mm ¹	8000 mm ¹
DEPTH	8411 mm ¹	7636 mm ¹
HEIGHT	2150 mm ¹	2150 mm ¹

MAXIMUM STROKE RATE

PUNCHING (E = 1 MM)	917 1/min	1000 1/min
MARKING	2800 1/min	2800 1/min

WORKING RANGE

PUNCHING MODE, X AXIS	3050 mm	2500 mm
PUNCHING MODE, Y AXIS	1550 mm	1250 mm
LASER OPERATION, X AXIS	3050 mm	2500 mm
LASER OPERATION, Y AXIS	1550 mm	1250 mm
COMBINED OPERATION, X AXIS	2500 mm	2500 mm
COMBINED OPERATION, Y AXIS	1550 mm	1250 mm
MAXIMUM SHEET THICKNESS	8 mm	8 mm
MAXIMUM WORKPIECE WEIGHT	230 kg	150 kg
MAXIMUM PUNCHING FORCE	180 kN	180 kN

TOOLS

MULTITOOL TOOL CHANGING TIME	0.3 s	0.3 s
NUMBER OF TOOLS/CLAMPS	22 pieces / 3 pieces	22 pieces / 3 pieces

**LASER-SPECIFIC DATA -
TRUFLOW 2000**

MAXIMUM LASER POWER	2000 W	2000 W
MAXIMUM SHEET THICKNESS, MILD STEEL	8 mm	8 mm
MAXIMUM SHEET THICKNESS, ALUMINUM	3 mm	3 mm
MAXIMUM SHEET THICKNESS, STAINLESS STEEL	4 mm	4 mm

**LASER-SPECIFIC DATA -
TRUFLOW 2700**

MAXIMUM LASER POWER	2700 W	2700 W
MAXIMUM SHEET THICKNESS, MILD STEEL	8 mm	8 mm
MAXIMUM SHEET THICKNESS, ALUMINUM	4 mm	4 mm
MAXIMUM SHEET THICKNESS, STAINLESS STEEL	6 mm	6 mm

**LASER-SPECIFIC DATA -
TRUFLOW 3200**

MAXIMUM LASER POWER	3200 W	3200 W
MAXIMUM SHEET THICKNESS, MILD STEEL	8 mm	8 mm
MAXIMUM SHEET THICKNESS, STAINLESS STEEL	8 mm	8 mm

**TruMatic 6000 large
format****TruMatic 6000
medium format**MAXIMUM SHEET THICKNESS,
ALUMINUM

4 mm

4 mm

PART REMOVALMAXIMUM PART SIZE, PART
REMOVAL FLAP, PUNCHING

500 mm x 500 mm

500 mm x 500 mm

MAXIMUM PART SIZE, FIXED
CHUTE, PUNCHING (WITH
MOVING TABLE)

80 mm x 50 mm

80 mm x 50 mm

MAXIMUM PART SIZE, PART
REMOVAL FLAP, LASER

500 mm x 500 mm

500 mm x 500 mm

CONSUMPTION VALUESAVERAGE POWER INPUT IN
PRODUCTION - TRUFLOW 2000

19 kW

19 kW

AVERAGE POWER INPUT IN
PRODUCTION - TRUFLOW 2700

21.5 kW

21.5 kW

AVERAGE POWER INPUT IN
PRODUCTION - TRUFLOW 3200

23 kW

23 kW

AUTO-SHUTDOWN ACTIVE -
TRUFLOW 2000

0.7 kW

0.7 kW

AUTO-SHUTDOWN ACTIVE -
TRUFLOW 2700

0.7 kW

0.7 kW

AUTO-SHUTDOWN ACTIVE -
TRUFLOW 3200

0.7 kW

0.7 kW

Footnotes

1 — The dimensions are approximate; the dimensions specified in the installation plan are valid.